

Anneaux

Jump Rings



GL
plaqué or
gold plate



WH
imitation
rhodium plate



BN
nickel noir
black nickel plate



SPL
plaqué argent
silver plate



OXBR
laiton antique
antique brass plate



OXCO
cuivre antique
antique copper plate



OXWH
argent antique
antique silver plate



RG
plaqué or rose
rose gold plate



MSPL
plaqué argent mat
matt silver plate



	JR4MM	JR5MM	JR5.5MM	JR6MM	JR7MM	JR8MM	JR9MM	JR10MM	JR11MM	JR12MM	JR16MM
gauge	21	20	21	18	17	17	15	15	15	15	14
mm	0.7	0.8	0.7	1	1.2	1.2	1.4	1.4	1.4	1.4	1.6
GL	●	●	●	●	●	●	●	●	●	●	●
WH	●	●	●	●	●	●	●	●	●	●	●
BN	●	●		●	●	●	●	●	●	●	●
SPL	●	●		●	●	●	●	●	●	●	●
OXBR	●	●		●	●	●	●	●	●	●	●
OXCO	●	●		●	●	●	●	●	●	●	
OXWH	●										●
RG	●	●		●		●					



JR8XB
OD 8mm
17ga, (1.2mm)



JR4MM06/WH
4mm
23ga, (0.6mm)



JRT9MM/WH
9mm
21ga, (0.7mm)



JR10MM10/GL
10mm
18ga, (1mm)



JR10MM10/WH
10mm
18ga, (1mm)



	JR20MM
gauge	12
mm	2
GL	●
WH	●
OXBR	●
OXCO	●

Soudé anneaux simples

Soldered Jump Rings



JR5MM/WH
5mm
21ga, (0.7mm)



JRS6MM/GL
6mm
18ga, (1mm)



JRS6MM/WH
6mm
18ga, (1mm)



JRS6MM/SPL
6mm
18ga, (1mm)



JRS8MM/WH
8mm

Anneaux

Jump Rings



JR8MMF/GL
8mm
17ga, (1.2mm)



JR8MMF/WH
8mm
17ga, (1.2mm)



JR8MMF/OXBR
8mm
17ga, (1.2mm)



JR8MMF/OXCO
8mm
17ga, (1.2mm)



JR8MMF/SPL
8mm
17ga, (1.2mm)



JR8MMF/BN
8mm
17ga, (1.2mm)



JR10MMF/WH



JR10MMF/SPL



JR10MMF/OXBR



JR10MMF/BN

10mm
17ga, (1.2mm)



JRS16MMF/WH



JRS16MMF/GL



JRS16MMF/SPL

16mm
soudé/soldered



JRS20MMF/WH



JRS20MMF/GL



JRS20MMF/SPL

20mm
soudé/soldered



JRS30MMF/WH



JRS30MMF/GL



JRS30MMF/SPL



JRS30MMF/OXBR



JRS30MMF/OXCO




JRS30MMF/BN

30mm
14ga, (1.6mm)
soudé/soldered



JRS40MMF/WH

JRS40MMF/GL



JRS40MMF/OXBR

JRS40MMF/OXCO

40mm
soudé/soldered



FRABELS
MAÎTRE DE LA QUALITÉ DEPUIS 1942

5580 Rue Paré, Montréal
QC, H4P 2M1
Tél: 514-842-8561
Fax: 514-842-6599
www.frabels.com
Email: info@frabels.com



KUROMU MODA
Ingrédients de qualité en acier inoxydable
Quality Stainless Steel Ingredients

Anneaux

Jump Rings



JR6MMF/BN
6mm
17ga, (1.2mm)



JR6MMF/WH
6mm
17ga, (1.2mm)



JR6MMF/GL
6mm
17ga, (1.2mm)



JR6MMF/SPL
6mm
17ga, (1.2mm)



JR6MMF/OXBR
6mm
17ga, (1.2mm)



JRS14MMH/BN
14mm



JRS24MMH/GL
24mm



JRS24MMH/WH
24mm



JRS24MMH/BN
24mm



JRS30X17H/SPL
30x17mm



JRS314H20/SPL



JRS314D23/SPL
13x23mm



JRS314O15/SPL
8x15mm



JRS314O25/SPL
18x25mm



JRS314O41/SPL
19x41mm



JRS314R12/SPL
12mm



JRS314R20/SPL
20mm



JRS314R25/SPL
25mm



JRS314R25/GL
25mm



JRS0717A/OXCO
38x20mm



soudé/soldered



JRS0717A/GL



JRS0717A/WH
38x20mm



JRS0717A/BN
38x20mm



JRS0717A/SPL
38x20mm

Tous les articles sont de grandeur réelle sauf si indiqué autrement.

All items in this flyer are actual size unless indicated otherwise.

Anneaux

Jump Rings



JR4MM09A/WH
4mm
0.9mm, (19ga)
made in US



JR5MM10A/WH
5mm
1mm, (18ga)
made in US



JR4MM08A/HGL
4mm
0.8mm, (20ga)
or hamilton
hamilton gold
made in US



JR5MM09A/HGL
5mm
0.9mm, (19ga)
or hamilton
hamilton gold
made in US



JR5MM10A/HGL
5mm
1mm, (18ga)
or hamilton
hamilton gold
made in US



JR6MM10/RAW
6mm
1mm, (18ga)
base de laiton
brass core



JRS0717B/OXCO
12mm



JRS0717B/SPL
12mm



JRS293I/14/WH
14mm



JRS293A/16/WH
16mm



JRS11X7/BN
11x7mm



JRS11X7/WH
11x7mm



JRS20X7/WH
20x7mm



JRS20X7/BN
20x7mm



JR040/GL
18ga, (1mm)



	JR5X3MM	JR7X5MM
GL	●	●
WH	●	



JR7X5MM/GL
7x5mm
0.85mm, (20ga)

Anneaux doubles

Split Rings



	DR5MM	DR6MM	DR9MM	DRT9MM	DRT9X2	DR12MM
GL	●	●	●	●	●	●
WH	●	●		●	●	
BN		●				
SPL	●	●				
OXBR	●	●				
OXCO		●				
OXWH	●					



DR6MM/SS
acier inoxydable
stainless steel



DR9MM/SS
acier inoxydable
stainless steel



F R A B E L S
MAÎTRE DE LA QUALITÉ DEPUIS 1942

5580 Rue Paré, Montréal
QC, H4P 2M1
Tél: 514-842-8561
Fax: 514-842-6599
www.frabels.com
Email: info@frabels.com



KUROMU MODA
Ingrédients de qualité en acier inoxydable
Quality Stainless Steel Ingredients

Anneaux d'aluminium

Aluminium Jump Rings



JRA7MM/ROY
7mm
18ga, (1mm)



JRA7MM/SPL
7mm
18ga, (1mm)



JRA10MM/PK
10mm
14ga, (1.6mm)



JRA10MM/GL
10mm
14ga, (1.6mm)



JRA10MM/PUR
10mm
14ga, (1.6mm)



JRA10MM/CHAM
10mm
14ga, (1.6mm)



JRA10MM/RED
10mm
14ga, (1.6mm)



JRA10MM/GRN
10mm
14ga, (1.6mm)



JRA10MM/ROY
10mm
14ga, (1.6mm)



JRA12MM/ROY
12mm
14ga, (1.6mm)



JRA12MM/BN
12mm
14ga, (1.6mm)



JRA12MM/CHAM
12mm
14ga, (1.6mm)



JRA12MM/RED
12mm
14ga, (1.6mm)



JRA12MM/PUR
12mm
14ga, (1.6mm)



JRA14MM/CHAMP
14mm
12ga, (2mm)



JRA14MM/RED
14mm
12ga, (2mm)



JRA14MM/PUR
14mm
12ga, (2mm)



JRA14MM/PK
14mm
12ga, (2mm)



JRA14MM/BN
14mm
12ga, (2mm)



JRA18MM/GL
18mm
10ga, (2.4mm)



JRA18MM/GRN
18mm
10ga, (2.4mm)



JRA18MM/SPL
18mm
10ga, (2.4mm)



JRA18MM/PK
18mm
10ga, (2.4mm)

Ingrédients de qualité en acier inoxydable

Quality Stainless Steel Ingredients



Les composants en acier inoxydable Kuromu Moda répondent aux demandes des créateurs de bijoux les plus particuliers avec leur modernisme japonais et le stylisme italien. Offert exclusivement chez Frabels Inc.

Kuromu Moda stainless steel jewelry components meet the needs of discerning jewelry designers by combining Japanese modernism and Italian styling. Exclusively available at Frabels Inc.

Ingrédients de qualité en acier inoxydable
Quality Stainless Steel Ingredients



JR3MM06/SS
3mm
0.6mm, (23ga)



JR4MM05/SS
OD 4mm
0.5mm, (24ga)



JR4MM07/SS
OD 4mm
0.7mm, (21ga)



JR5MM/SS
OD 5mm
0.8mm, (20ga)



JR5MM10/SS
5mm
1mm, (18ga)



JR6MM08/SS
OD 6mm
0.8mm, (20ga)



JR6MM10/SS
OD 6mm
1mm, (18ga)



JR7MM/SS
OD 7mm
1.2mm, (17ga)



JR8MM10/SS
8mm
1mm, (18ga)



JR8MM/SS
OD 8mm
1.2mm, (17ga)



JR10MM10/SS
OD 10mm
1mm, (18ga)



JR10MM14/SS
OD 10mm
1.4mm, (15ga)



JR12MM/SS
OD 12mm
1.4mm, (15ga)



JR7X5MM/SS
7x5mm
19ga, (0.9mm)



JR8X6MM/SS
8x6mm
15ga, (1.5mm)



JRS496/SS
8x16mm



JRS836/SS
8x16mm



JRS835/SS
10x15mm



JRS815/SS
12mm



JRS834/SS
14mm



JRS496/SS
16x8mm



JRS510/SS
19x12mm



JRS509/SS
15mm



JRS517/SS
20x15mm



JR42A/SS
14x10mm



JRS515/SS
24x17mm

Ingrédients de qualité en acier inoxydable

Quality Stainless Steel Ingredients



BA358/SS
23ga, (0.6mm)
10x6mm



KUROMU MODA



JR4MM07/GSS
4mm
21ga, (0.7mm)



JR5MM08/GSS
5mm
20ga, (0.8mm)



JR6MM/GSS
6mm
18ga, (1mm)



JR8MM/GSS
8mm
17ga, (1.2mm)



JR4MM07/RSS
4mm
21ga, (0.7mm)



JR5MM07/RSS
5mm
21ga, (0.7mm)



JR5MM08/RSS
5mm
20ga, (0.8mm)



JR6MM/RSS
6mm
18ga, (1mm)



JR8MM/RSS
8mm
17ga, (1.2mm)



JR4MM07/BSS
4mm
0.7mm, (21 ga)



JR5MM08/BSS
5mm
0.8mm, (20 ga)



JR6MM/BSS
6mm
18ga, (1mm)



JR8MM/BSS
8mm
17ga, (1.2mm)



JRS7816/SS
16mm



JRS7820/SS
20mm



JRS7824/SS
24mm

soudé/ soldered



JRS6MM/SS
6mm